





AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 800 x 400	Max. 800 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V
PN-46	M4	24.3	400 x 200 / 200 x 200	V	V
PN-46 (Portrait)	M4	24.3	200 x 400 / 200 x 200	V	V
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200	V	V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V
PD-49	M6	19.0	400 x 400	V	V
PD-49 (Portrait)	M6	19.0	400 x 400	V	V
HX-55E	M6	37.1	400 x 400	V	V
HX-55E(Portrait)	M6	37.1	400 x 400	V	V
PD-55	M6	24.7	400 x 400	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V
PN-55D (PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V
PN-55D (PN5D00)	M6	29.2	400 x 400	V	V
PN-55D (PN5D00) (Portrait)	M6	29.2	400 x 400	V	V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V






AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 800 x 400	Max. 800 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V
VW-55D(VW5D00)	M6	24.4	400 x 400	V	V
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400	V	V
QM-55	M6	15.96	400 x 400 / 400 x 200	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V
RX-55E	M6	37.0	400 x 400	V	V
RX-55E (Portrait)	M6	37.0	400 x 400	V	V
VW-55H	M6	24.4	400 x 400	V	V
VW-55H(Portrait)	M6	24.4	400 x 400	V	V
VW-55D	M6	24.4	400 x 400	V	V
VW-55D(Portrait)	M6	24.4	400 x 400	V	V
PM-65	M8	36.2	400 x 400	V	V
PM-65P	M8	24.8	400 x 400	V	V
QM-65	M6	24.8	400 x 400	V	V
QM-65A	M6	24.8	400 x 400	V	V
QD-75	M8	53.3	600 x 400	V	V
QM-75	M8	53.0	600 x 400	V	V
QM-75A	M8	53.0	600 x 400	V	V
QM-86	M8	63.8	600 x 400	V	V
QM-86A	M8	63.0	600 x 400	V	V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
HX-32	M4	15.2	400 x 200	✓	✓	✓		
HX-32E	M6	15.2	400 x 200	✓	✓	✓		
HX-32E(Portrait)	M6	15.2	200 x 400	✓	✓	✓		
QX-32	M6	15.7	400 x 200 / 200 x 200	✓	✓	✓		
RX-32	M4	15.2	400 x 200	✓	✓	✓		
RX-32 (Portrait)	M4	15.2	200 x 400	✓	✓	✓		
RX-32E	M6	15.0	400 x 200	✓	✓	✓		
RX-32E (Portrait)	M6	15.0	200 x 400	✓	✓	✓		
SC-32	M6	9.1	200 x 100	✓	✓	✓		
SC-32AH	M6	7.0	200 x 100	✓	✓	✓		
TX-32	M6	17.6	400 x 200	✓	✓	✓		
TX-32P	M6	12.5	400 x 200	✓	✓	✓		
TX-32P (Portrait)	M6	12.5	200 x 400	✓	✓	✓		
HX-42	M6	24.8	400 x 200	✓	✓	✓		
HX-42E	M6	23.2	200 x 200	✓	✓	✓		
HX-42E (Portrait)	M6	23.2	200 x 200	✓	✓	✓		
PD-42	M6	15.3	200 x 200	✓	✓	✓		
PD-42 (partrait)	M6	15.3	200 x 200	✓	✓	✓		
RX-42	M6	24.8	400 x 200	✓	✓	✓		
RX-42 (Portrait)	M6	24.8	200 x 400	✓	✓	✓		
RX-42E	M6	23.1	200 x 200	✓	✓	✓		
RX-42E (Portrait)	M6	23.1	200 x 200	✓	✓	✓		
SC-42	M6	14.3	400 x 400	✓	✓	✓		
SC-42AH	M6	14.3	400 x 400	✓	✓	✓		
SC-42AH (Portrait)	M6	14.3	400 x 400	✓	✓	✓		
TX-42	M6	28.3	400 x 200	✓	✓	✓		
TX-42P	M6	24.5	400 x 400	✓	✓	✓		
TX-42P (Portrait)	M6	24.5	400 x 400	✓	✓	✓		
PM-43	M6	8.7	400 x 400 / 200 x 200	✓	✓	✓		
QM-43	M6	8.7	400 x 400 / 200 x 200	✓	✓	✓		
QM-43A	M6	8.7	400 x 400 / 200 x 200	✓	✓	✓		
QX-43	M6	27.1	400 x 400 / 400 x 200	✓	✓	✓		
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	✓	✓	✓		
PN-46	M4	24.3	400 x 200 / 200 x 200	✓	✓	✓		
PN-46 (Portrait)	M4	24.3	200 x 400 / 200 x 200	✓	✓	✓		
PN-46D	M6	23.0	400 x 200 / 200 x 200	✓	✓	✓		
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200	✓	✓	✓		
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	✓	✓	✓	✓	✓
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	✓	✓	✓	✓	✓
PM-48	M6	11.5	400 x 400 / 200 x 200	✓	✓	✓	✓	✓
PD-49	M6	19.0	400 x 400	✓	✓	✓		
PD-49 (Portrait)	M6	19.0	400 x 400	✓	✓	✓		
HX-55E	M6	37.1	400 x 400	✓	✓	✓	✓	✓
PD-55	M6	24.7	400 x 400	✓	✓	✓	✓	✓
PD-55 (Portrait)	M6	24.7	400 x 400	✓	✓	✓		
PM-55	M6	16.0	400 x 400 / 400 x 200	✓	✓	✓	✓	✓
PN-55D (PN5DA0)	M6	27.0	400 x 400	✓	✓	✓	✓	✓
PN-55D (PN5DA0) (Portrait)	M6	27.0	400 x 400	✓	✓	✓		
PN-55D (PN5D00)	M6	29.2	400 x 400				✓	✓
PN-55H(PN5HA0)	M6	23.0	400 x 400	✓	✓	✓	✓	✓
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	✓	✓	✓		
PN-55H(PN5HB0)	M6	24.9	400 x 400	✓	✓	✓	✓	✓




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
								
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30 .0kg	30.0 kg	85.0 kg	125.0 kg
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	v	v	v		
VW-55D(VW5D00)	M6	24.4	400 x 400				v	v
VW-55H(VW5H00)	M6	24.4	400 x 400				v	v
PS-55	M6	30.6	200 x 200				v	v
QM-55	M6	15.96	400 x 400 / 400 x 200	v	v	v	v	v
QM-55A	M6	16.0	400 x 400 / 400 x 200	v	v	v	v	v
QX-55	M8	39.1	400 x 400 / 400 x 200				v	v
RX-55E	M6	37.0	400 x 400				v	v
IFP-5501	M6	46.5	300 x 300				v	v
PM-65	M8	36.2	400 x 400				v	v
PM-65P	M8	24.8	400 x 400				v	v
QM-65	M6	24.8	400 x 400	v	v	v	v	v
QM-65A	M6	24.8	400 x 400	v	v	v	v	v
IFP-6501	M6	53.4	500 x 400				v	v
QD-75	M8	53.3	600 x 400				v	v
QM-75	M8	53.0	600 x 400				v	v
QM-75A	M8	53.0	600 x 400				v	v
QD-84	M8	70.0	600 x 500				v	v
QM-86	M8	63.8	600 x 400				v	v
QM-86A	M8	63.0	600 x 400				v	v
QD-98	M8	91.4	800 x 500					v




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
SX-15E	M4	4.3	100 x 100 / 75 x 75			V
SX-15P	M4	4.3	100 x 100 / 75 x 75			V
X-15E	M4	4.2	100 x 100 / 75 x 75			V
X-15P	M4	4.3	100 x 100 / 75 x 75			V
C-17P	M4	2.6	100 x 100			V
DR-17E	M4	5.3	100 x 100 / 75 x 75			V
DR-17P	M4	5.8	100 x 100 / 75 x 75			V
SC-17	M4	2.7	100 x 100			V
SC-17AH	M4	2.7	100 x 100			V
SC-17P	M4	2.7	100 x 100			V
SQ-17	M4	2.3	100 x 100			V
SX-17E	M4	5.3	100 x 100 / 75 x 75			V
SX-17P	M4	5.3	100 x 100 / 75 x 75			V
U-17	M4	4.5	100 x 100			V
X-17E	M4	5.2	100 x 100 / 75 x 75			V
X-17P	M4	6.1	100 x 100 / 75 x 75			V
C-19P	M4	3.1	100 x 100			V
SC-19	M4	3.4	100 x 100			V
SC-19AH	M4	3.4	100 x 100			V
SC-19E	M4	2.0	100 x 100			V
SC-19P	M4	3.4	100 x 100			V
SQ-19	M4	2.7	100 x 100			V
SX-19E	M4	6.0	100 x 100 / 75 x 75			V
SX-19P	M4	6.3	100 x 100 / 75 x 75			V
U-19	M4	5.3	100 x 100			V
X-19E	M4	6.0	100 x 100 / 75 x 75			V
DR-22	M4	6.3	100 x 100 / 75 x 75			V
DR-22E	M4	6.2	100 x 100 / 75 x 75			V
HX-22	M4	6.3	100 x 100 / 75 x 75			V
LE-22	M4	2.7	100 x 100			V
LE-22E	M4	3.0	100 x 100			V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
L-W22	M4	3.2	100 x 100			V
L-W22C	M4	3.2	100 x 100			V
LW-22E	M4	2.9	100 x 100			V
MX-22	M4	6.1	100 x 100 / 75 x 75			V
RX-22	M4	6.3	100 x 100 / 75 x 75			V
RX-22E	M4	6.9	100 x 100 / 75 x 75			V
SC-22	M4	3.2	100 x 100			V
SC-22AH	M4	3.2	100 x 100			V
SC-22E	M4	2.4	100 x 100			V
SQ-22	M4	2.9	100 x 100			V
X-22	M4	6.3	100 x 100 / 75 x 75			V
X-22E	M4	6.3	100 x 100 / 75 x 75			V
FS-24	M4	3.3	100 x 100			V
HX-24	M4	7.3	100 x 100 / 75 x 75			V
HX-24E	M4	7.3	100 x 100 / 75 x 75			V
LE-24	M4	3.3	100 x 100			V
LE-24E	M4	3.4	100 x 100			V
L-W24	M4	3.4	100 x 100			V
L-W24C	M4	4.5	100 x 100			V
LW-24E	M4	3.4	100 x 100			V
MD-24	M4	3.3	100 x 100			V
MX-24	M4	7.2	100 x 100 / 75 x 75			V
QX-24	M4	7.4	100 x 100 / 100 x 200			V
RX-24	M4	7.2	100 x 100 / 75 x 75			V
RX-24E	M4	7.9	100 x 100 / 75 x 75			V
SC-24	M4	3.4	100 x 100			V
SC-24AH	M4	3.4	100 x 100			V
SC-24E	M4	3.4	100 x 100			V
U-23	M4	5.4	100 x 100			V
X-24	M4	6.8	100 x 100 / 75 x 75			V
X-24E	M4	7.2	100 x 100 / 75 x 75			V
FS-27	M4	4.2	100 x 100			V
LE-27	M4	5.2	100 x 100			V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
LE-27E	M4	5.1	100 x 100			V
LE-27R	M4	5.2	100 x 100			V
LE-27R	M4	5.2	100 X100			V
L-W27	M4	5.5	100 x 100			V
L-W27C	M4	5.2	100 x 100			V
LW-27E	M4	5.0	100 x 100			V
MD-27	M4	4.3	100 x 100			V
SC-27E	M4	4.6	100 x 100			V
QF-28	M4	5.3	100 x 100			V
QX-28	M4	10.4	100 x 100 / 100 x 200			V
HX-32	M4	15.2	400 x 200		V	
HX-32E	M6	15.2	400 x 200		V	
PM-32	M4	5.2	200 x 200 / 100 x 100		V	V
QX-32	M6	15.7	400 x 200 / 200 x 200		V	V
RX-32	M4	15.2	400 x 200		V	
RX-32E	M6	15.0	400 x 200		V	
SC-32	M6	9.1	200 x 100		V	V
SC-32AH	M6	7.0	200 x 100		V	V
HX-42	M6	24.8	400 x 200	V	V	
HX-42E	M6	23.2	200 x 200	V	V	V
PD-42	M6	15.3	200 x 200	V	V	V
PD-42 (partrait)	M6	15.3	200 x 200		V	V
RX-42	M6	24.8	400 x 200	V	V	
RX-42E	M6	23.1	200 x 200	V	V	V
RX-42E (Portrait)	M6	23.1	200 x 200		V	V
SC-42	M6	14.3	400 x 400	V		
SC-42AH	M6	14.3	400 x 400	V		
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	
PN-46	M4	24.3	400 x 200 / 200 x 200	V	V	V
PN-46 (Portrait)	M4	24.3	200 x 400 / 200 x 200		V	V









AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200		V	V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V
PD-49	M6	19.0	400 x 400	V		
HX-55E	M6	37.1	400 x 400	V		
PD-55	M6	24.7	400 x 400	V		
PD-55 (Portrait)	M6	24.7	400 x 400			
PM-55	M6	16.0	400 x 400 / 400 x 200	V		
PN-55D (PN5DA0)	M6	27.0	400 x 400	V		
PN-55D (PN5D00)	M6	29.2	400 x 400	V		
PN-55H(PN5HA0)	M6	23.0	400 x 400	V		
PN-55H(PN5HB0)	M6	24.9	400 x 400	V		
VW-55D(VW5D00)	M6	24.4	400 x 400	V		
VW-55H(VW5H00)	M6	24.4	400 x 400	V		
PS-55	M6	30.6	200 x 200	V	V	V
PS-55 (Portrait)	M6	30.6	200 x 200		V	V
QM-55	M6	15.96	400 x 400 / 400 x 200	V	V	
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	
QX-55	M8	39.1	400 x 400 / 400 x 200	V		
RX-55E	M6	37.0	400 x 400	V		
PM-65	M8	36.2	400 x 400	V		
PM-65P	M8	24.8	400 x 400	V		
QM-65	M6	24.8	400 x 400	V		
QM-65A	M6	24.8	400 x 400	V		
QD-75	M8	53.3	600 x 400	V		
QM-75	M8	53.0	600 x 400	V		
QM-75A	M8	53.0	600 x 400	V		









AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	WMA-01	PMK-01	WMK-01	WMK-03
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100 x 100
Weight Capacity of Mount				80.0 kg	80.0 kg	100.0kg	35.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
SX-15E	M4	4.3	100 x 100 / 75 x 75					v	v	v	v
SX-15P	M4	4.3	100 x 100 / 75 x 75					v	v	v	v
TX-15	M4	2.7	100 x 100						v	v	v
X-15E	M4	4.2	100 x 100 / 75 x 75					v	v	v	v
X-15P	M4	4.3	100 x 100 / 75 x 75					v	v	v	v
C-17P	M4	2.6	100 x 100					v	v	v	v
DR-17E	M4	5.3	100 x 100 / 75 x 75					v	v	v	v
DR-17P	M4	5.8	100 x 100 / 75 x 75					v	v	v	v
SC-17	M4	2.7	100 x 100					v	v	v	v
SC-17AH	M4	2.7	100 x 100					v	v	v	v
SC-17P	M4	2.7	100 x 100					v	v	v	v
SQ-17	M4	2.3	100 x 100					v	v	v	v
SX-17E	M4	5.3	100 x 100 / 75 x 75					v	v	v	v
SX-17P	M4	5.3	100 x 100 / 75 x 75					v	v	v	v
TX-17	M4	3.9	100 x 100						v	v	v
U-17	M4	4.5	100 x 100					v	v	v	v
X-17E	M4	5.2	100 x 100 / 75 x 75					v	v	v	v
X-17P	M4	6.1	100 x 100 / 75 x 75					v	v	v	v
C-19P	M4	3.1	100 x 100					v	v	v	v
SC-19	M4	3.4	100 x 100					v	v	v	v
SC-19AH	M4	3.4	100 x 100					v	v	v	v
SC-19E	M4	2.0	100 x 100					v	v	v	v
SC-19P	M4	3.4	100 x 100					v	v	v	v
SQ-19	M4	2.7	100 x 100					v	v	v	v
SX-19E	M4	6.0	100 x 100 / 75 x 75					v	v	v	v
SX-19P	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
TX-19	M4	4.6	100 x 100						v	v	v
U-19	M4	5.3	100 x 100					v	v	v	v
X-19E	M4	6.0	100 x 100 / 75 x 75					v	v	v	v
DR-22	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
DR-22E	M4	6.2	100 x 100 / 75 x 75					v	v	v	v
HX-22	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
LE-22	M4	2.7	100 x 100					v	v	v	v
LE-22E	M4	3.0	100 x 100					v	v	v	v
L-W22	M4	3.2	100 x 100					v	v	v	v
L-W22C	M4	3.2	100 x 100					v	v	v	v
LW-22E	M4	2.9	100 x 100					v	v	v	v
MX-22	M4	6.1	100 x 100 / 75 x 75					v	v	v	v
RX-22	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
RX-22E	M4	6.9	100 x 100 / 75 x 75					v	v	v	v
SC-22	M4	3.2	100 x 100					v	v	v	v
SC-22AH	M4	3.2	100 x 100					v	v	v	v
SC-22E	M4	2.4	100 x 100					v	v	v	v
SQ-22	M4	2.9	100 x 100					v	v	v	v
TM-22	M4	4.3	100 x 100						v	v	v
TX-22	M4	4.8	100 x 100						v	v	v
TX-22 (Portrait)	M4	4.8	100 x 100						v	v	v
X-22	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
X-22E	M4	6.3	100 x 100 / 75 x 75					v	v	v	v
FS-24	M4	3.3	100 x 100					v	v	v	v
HX-24	M4	7.3	100 x 100 / 75 x 75					v	v	v	v
HX-24E	M4	7.3	100 x 100 / 75 x 75					v	v	v	v
LE-24	M4	3.3	100 x 100					v	v	v	v
LE-24E	M4	3.4	100 x 100					v	v	v	v
L-W24	M4	3.4	100 x 100					v	v	v	v
L-W24C	M4	4.5	100 x 100					v	v	v	v
LW-24E	M4	3.4	100 x 100					v	v	v	v
MD-24	M4	3.3	100 x 100					v	v	v	v
MX-24	M4	7.2	100 x 100 / 75 x 75					v	v	v	v
QX-24	M4	7.4	100 x 100 / 100 x 200					v	v	v	v
RX-24	M4	7.2	100 x 100 / 75 x 75					v	v	v	v
RX-24E	M4	7.9	100 x 100 / 75 x 75					v	v	v	v
SC-24	M4	3.4	100 x 100					v	v	v	v
SC-24AH	M4	3.4	100 x 100					v	v	v	v






AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	WMA-01	PMK-01	WMK-01	WMK-03
											
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				80.0 kg	80.0 kg	100.0kg	35.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
SC-24E	M4	3.4	100 x 100					v	v	v	v
TM-23	M4	5.1	100 x 100						v	v	v
U-23	M4	5.4	100 x 100					v	v	v	v
X-24	M4	6.8	100 x 100 / 75 x 75					v	v	v	v
X-24E	M4	7.2	100 x 100 / 75 x 75					v	v	v	v
FS-27	M4	4.2	100 x 100					v	v	v	v
LE-27	M4	5.2	100 x 100					v	v	v	v
LE-27E	M4	5.1	100 x 100					v	v	v	v
LE-27R	M4	5.2	100 x 100					v	v	v	v
LE-27R	M4	5.2	100 X100					v	v	v	v
L-W27	M4	5.5	100 x 100					v	v	v	v
L-W27C	M4	5.2	100 x 100					v	v	v	v
LW-27E	M4	5.0	100 x 100					v	v	v	v
MD-27	M4	4.3	100 x 100					v	v	v	v
SC-27E	M4	4.6	100 x 100					v	v	v	v
TM-27	M4	6.6	100 x 100						v	v	v
QF-28	M4	5.3	100 x 100					v	v	v	v
QX-28	M4	10.4	100 x 100 / 100 x 200					v	v	v	v
HX-32	M4	15.2	400 x 200	v	v		v				
HX-32E	M6	15.2	400 x 200	v	v		v				
HX-32E(Portrait)	M6	15.2	200 x 400								
PM-32	M4	5.2	200 x 200 / 100 x 100		v		v	v	v	v	v
QX-32	M6	15.7	400 x 200 / 200 x 200		v		v				v
RX-32	M4	15.2	400 x 200		v		v				
RX-32E	M6	15.0	400 x 200		v		v				
SC-32	M6	9.1	200 x 100		v		v				v
SC-32AH	M6	7.0	200 x 100		v		v				v
TX-32	M6	17.6	400 x 200	v	v						
TX-32P	M6	12.5	400 x 200	v	v						
HX-42	M6	24.8	400 x 200	v	v	v	v				
HX-42E	M6	23.2	200 x 200	v	v	v	v	v			v
HX-42E (Portrait)	M6	23.2	200 x 200								
PD-42	M6	15.3	200 x 200	v	v	v	v	v			v
PD-42 (partrait)	M6	15.3	200 x 200					v			
RX-42	M6	24.8	400 x 200	v	v	v	v				
RX-42 (Portrait)	M6	24.8	200 x 400								
RX-42E	M6	23.1	200 x 200	v	v	v		v			v
SC-42	M6	14.3	400 x 400	v		v	v				
SC-42AH	M6	14.3	400 x 400	v		v	v				
TX-42	M6	28.3	400 x 200	v	v	v					
TX-42P	M6	24.5	400 x 400	v		v					
PM-43	M6	8.7	400 x 400 / 200 x 200	v	v	v	v	v			v
QM-43	M6	8.7	400 x 400 / 200 x 200	v	v	v	v	v			v
QM-43A	M6	8.7	400 x 400 / 200 x 200	v	v	v	v	v			v
QX-43	M6	27.1	400 x 400 / 400 x 200	v	v	v	v				
PN-46	M4	24.3	400 x 200 / 200 x 200	v	v	v	v				v
PN-46 (Portrait)	M4	24.3	200 x 400 / 200 x 200		v		v				v
PN-46D	M6	23.0	400 x 200 / 200 x 200	v	v	v	v				v
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200		v		v				v
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	v	v	v	v				
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200				v				
PM-48	M6	11.5	400 x 400 / 200 x 200	v	v	v	v	v			v
PD-49	M6	19.0	400 x 400	v		v	v				
PD-49 (Portrait)	M6	19.0	400 x 400			v	v				
HX-55E	M6	37.1	400 x 400	v		v					
PD-55	M6	24.7	400 x 400	v		v	v				
PD-55 (Portrait)	M6	24.7	400 x 400			v	v				
PM-55	M6	16.0	400 x 400 / 400 x 200	v	v	v	v				
PN-55D (PN5DA0)	M6	27.0	400 x 400	v		v	v				
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400				v				
PN-55D(PN5D00)	M6	29.2	400 x 400	v		v	v				
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400				v				
PN-55H(PN5HA0)	M6	23.0	400 x 400	v		v	v				






AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	WMA-01	PMK-01	WMK-01	WMK-03
											
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 440 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				80.0 kg	80.0 kg	100.0kg	35.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400				V				
PN-55H(PN5HB0)	M6	24.9	400 x 400	V		V	V				
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400				V				
VW-55D(VW5D00)	M6	24.4	400 x 400	V		V	V				
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400				V				
VW-55H(VW5H00)	M6	24.4	400 x 400	V		V	V				
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400				V				
PO-55H	M8	36.7	400 x 400	V		V					
PO-55H (Portrait)	M8	36.7	400 x 400								
PS-55	M6	30.6	200 x 200	V	V	V	V				
PS-55 (Portrait)	M6	30.6	200 x 200	V	V						
QM-55	M6	15.96	400 x 400 / 400 x 200	V	V	V	V				
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V				
QX-55	M8	39.1	400 x 400 / 400 x 200	V		V					
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400								
RX-55E	M6	37.0	400 x 400	V		V					
IFF-5501	M6	46.5	300 x 300	V	V	V					
PM-65	M8	36.2	400 x 400	V		V					
PM-65P	M8	24.8	400 x 400	V		V	V				
QM-65	M6	24.8	400 x 400	V		V	V				
QM-65A	M6	24.8	400 x 400	V		V	V				
IFF-6501	M6	53.4	500 x 400	V		V					
QD-75	M8	53.3	600 x 400	V		V					
QM-75	M8	53.0	600 x 400	V		V					
QM-75A	M8	53.0	600 x 400	V		V					
QD-84	M8	70.0	600 x 500			V					
QM-86	M8	63.8	600 x 400	V		V					
QM-86A	M8	63.0	600 x 400	V		V					
QD-98	M8	91.4	800 x 500			V					



AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q
								
Screw Type				M4	M4	M4	M4	M4
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)
SX-15E	M4	4.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
SX-15P	M4	4.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
X-15E	M4	4.2	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
X-15P	M4	4.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
C-17P	M4	2.6	100 x 100	✓	✓	✓	✓	✓
DR-17E	M4	5.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
DR-17P	M4	5.8	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
SC-17	M4	2.7	100 x 100	✓	✓	✓	✓	✓
SC-17AH	M4	2.7	100 x 100	✓	✓	✓	✓	✓
SC-17P	M4	2.7	100 x 100	✓	✓	✓	✓	✓
SQ-17	M4	2.3	100 x 100	✓	✓	✓	✓	✓
SX-17E	M4	5.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
SX-17P	M4	5.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
U-17	M4	4.5	100 x 100	✓	✓	✓	✓	✓
X-17E	M4	5.2	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
X-17P	M4	6.1	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
C-19P	M4	3.1	100 x 100	✓	✓	✓	✓	✓
SC-19	M4	3.4	100 x 100	✓	✓	✓	✓	✓
SC-19AH	M4	3.4	100 x 100	✓	✓	✓	✓	✓
SC-19E	M4	2.0	100 x 100	✓	✓	✓	✓	✓
SC-19P	M4	3.4	100 x 100	✓	✓	✓	✓	✓
SQ-19	M4	2.7	100 x 100	✓	✓	✓	✓	✓
SX-19E	M4	6.0	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
SX-19P	M4	6.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
U-19	M4	5.3	100 x 100	✓	✓	✓	✓	✓
X-19E	M4	6.0	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
DR-22	M4	6.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
DR-22E	M4	6.2	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
HX-22	M4	6.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
LE-22	M4	2.7	100 x 100	✓	✓	✓	✓	✓
LE-22E	M4	3.0	100 x 100	✓	✓	✓	✓	✓
L-W22	M4	3.2	100 x 100	✓	✓	✓	✓	✓
L-W22C	M4	3.2	100 x 100	✓	✓	✓	✓	✓
LW-22E	M4	2.9	100 x 100	✓	✓	✓	✓	✓
MX-22	M4	6.1	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
RX-22	M4	6.3	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
RX-22E	M4	6.9	100 x 100 / 75 x 75	✓	✓	✓	✓	✓
SC-22	M4	3.2	100 x 100	✓	✓	✓	✓	✓

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q
								
Screw Type				M4	M4	M4	M4	M4
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)
SC-22AH	M4	3.2	100 x 100	V	V	V	V	V
SC-22E	M4	2.4	100 x 100	V	V	V	V	V
SQ-22	M4	2.9	100 x 100	V	V	V	V	V
X-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V
X-22E	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V
FS-24	M4	3.3	100 x 100	V	V	V	V	V
HX-24	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V
HX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V
LE-24	M4	3.3	100 x 100	V	V	V	V	V
LE-24E	M4	3.4	100 x 100	V	V	V	V	V
L-W24	M4	3.4	100 x 100	V	V	V	V	V
L-W24C	M4	4.5	100 x 100	V	V	V	V	V
LW-24E	M4	3.4	100 x 100	V	V	V	V	V
MD-24	M4	3.3	100 x 100	V	V	V	V	V
MX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V
QX-24	M4	7.4	100 x 100 / 100 x 200	V		V	V	V
RX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V
RX-24E	M4	7.9	100 x 100 / 75 x 75	V	V	V	V	V
SC-24	M4	3.4	100 x 100	V	V	V	V	V
SC-24AH	M4	3.4	100 x 100	V	V	V	V	V
SC-24E	M4	3.4	100 x 100	V	V	V	V	V
U-23	M4	5.4	100 x 100	V	V	V	V	V
X-24	M4	6.8	100 x 100 / 75 x 75	V	V	V	V	V
X-24E	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V
FS-27	M4	4.2	100 x 100	V				
LE-27	M4	5.2	100 x 100	V				
LE-27E	M4	5.1	100 x 100	V				
LE-27R	M4	5.2	100 x 100	V				
LE-27R	M4	5.2	100 X100	V				
L-W27	M4	5.5	100 x 100	V				
L-W27C	M4	5.2	100 x 100	V				
LW-27E	M4	5.0	100 x 100	V				
MD-27	M4	4.3	100 x 100	V				
SC-27E	M4	4.6	100 x 100	V				
QF-28	M4	5.3	100 x 100	V				

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	HDL-01	HDL-02
					
Screw Type				M4	M4
VESA Compliant of Mount (mm)				/	/
Weight Capacity of Mount				/	/
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	
DR-22	M4	6.3	100 x 100 / 75 x 75		V
DR-22E	M4	6.2	100 x 100 / 75 x 75		V
MX-22	M4	6.1	100 x 100 / 75 x 75		V
MX-24	M4	7.2	100 x 100 / 75 x 75		V